

Contents

| | |
|---|-----------|
| I Setting the Scene | 1 |
| 1 Maintenance/Asset Management | 3 |
| 1.1 Definition | 3 |
| 1.2 Historical perspective | 5 |
| 1.2.1 What has happened? | 5 |
| 1.2.2 How did this change maintenance management? | 7 |
| 1.2.3 What exactly is expected? | 9 |
| 1.3 Wrapping things up | 10 |
| 1.3.1 Drivers and dilemmas | 10 |
| 1.3.2 Critical success factors for maintenance today and (the day after) tomorrow | 11 |
| 1.4 Selected further reading | 12 |
| 2 Managerial decision framework | 15 |
| 2.1 Vision - mission | 15 |
| 2.2 Strategy and maintenance | 16 |
| 2.2.1 Strategy | 16 |
| 2.2.2 Maintenance/asset management in context | 17 |
| 2.2.3 Maintenance strategy | 20 |
| 2.3 Case example: Maintenance strategy formulation | 24 |
| 2.4 Selected further reading | 31 |
| 3 Maintenance and IT | 33 |
| 3.1 IT as a tool for maintenance management | 33 |
| 3.1.1 Useful IT capabilities | 33 |
| 3.1.2 Management perception of IT | 34 |
| 3.2 CMMS-EAMS | 34 |
| 3.2.1 Basics | 34 |
| 3.2.2 Issues to consider | 35 |
| 3.3 Knowledge management | 37 |
| 3.3.1 Concepts | 37 |
| 3.3.2 Basic example: expert systems | 39 |
| 3.4 E-maintenance | 41 |
| 3.4.1 E-maintenance explored | 41 |
| 3.4.2 Case example: POM project | 43 |
| 3.5 Selected further reading | 43 |

| | |
|--|-----------|
| II Computational Tools | 47 |
| 4 Failure statistics | 49 |
| 4.1 Failures explored | 49 |
| 4.1.1 Failure | 49 |
| 4.1.2 Origin of failure | 50 |
| 4.1.3 Beware: common mode/cause failures | 50 |
| 4.2 Prerequisites: Probability theory | 51 |
| 4.3 Distributions | 52 |
| 4.3.1 Types of distributions | 52 |
| 4.3.2 Probability density/mass function | 52 |
| 4.3.3 Discrete distributions | 53 |
| 4.3.4 Continuous distributions | 53 |
| 4.4 Failure functions | 59 |
| 4.4.1 $f(t)$, $F(t)$, $R(t)$ and $h(t)$ | 59 |
| 4.4.2 Numerical illustrations | 63 |
| 4.5 Data analysis | 64 |
| 4.5.1 Data fitting | 64 |
| 4.5.2 Statistical tests | 66 |
| 4.6 Case examples | 69 |
| 4.7 Selected further reading | 72 |
| 5 RAMS | 73 |
| 5.1 RAMS: what is it about? | 73 |
| 5.2 Reliability prediction | 77 |
| 5.2.1 Measured failure data | 77 |
| 5.2.2 Physics-on-failure | 79 |
| 5.2.3 System reliability | 83 |
| 5.2.4 State space analysis | 86 |
| 5.3 Risk analysis and reliability | 91 |
| 5.3.1 Risk analysis | 91 |
| 5.3.2 Fault tree analysis (FTA) | 91 |
| 5.3.3 Event tree analysis (ETA) | 93 |
| 5.3.4 Hazard and operability study (HAZOP) | 93 |
| 5.3.5 Root cause analysis (RCA) | 94 |
| 5.3.6 Bow tie analysis | 96 |
| 5.3.7 Failure mode effect analysis (FMEA) | 96 |
| 5.4 Human reliability analysis (HRA) | 98 |
| 5.5 Case study illustrations | 100 |
| 5.5.1 RCA1 | 100 |
| 5.5.2 RCA2 | 100 |
| 5.5.3 FMEA1 | 101 |
| 5.5.4 FMEA2 | 101 |
| 5.5.5 FMEA3 | 102 |
| 5.6 Numerical illustrations | 104 |
| 5.7 Selected further reading | 108 |

| | |
|--|------------|
| 6 Data quality management | 111 |
| 6.1 Importance of data quality | 111 |
| 6.1.1 Factual decision making | 111 |
| 6.1.2 Anecdotes | 111 |
| 6.1.3 Ideal world | 112 |
| 6.2 Data collection process | 113 |
| 6.2.1 Internal data | 113 |
| 6.2.2 External data | 116 |
| 6.2.3 Special topic: FRACAS | 116 |
| 6.3 Data visualization | 117 |
| 6.3.1 Visualization before statistical analysis | 117 |
| 6.3.2 Visualization for general management purposes | 118 |
| 6.4 Selected further reading | 119 |
| III Decision Support | 123 |
| 7 Maintenance concepts | 125 |
| 7.1 Definitions: maintenance actions, policies and concepts | 125 |
| 7.2 Maintenance actions | 126 |
| 7.3 Maintenance policies | 127 |
| 7.3.1 Failure based maintenance (FBM) | 127 |
| 7.3.2 Use/time based maintenance (UBM/TBM) | 127 |
| 7.3.3 Condition based maintenance (CBM) | 127 |
| 7.3.4 Opportunity based maintenance (OBM) | 128 |
| 7.3.5 Design-out maintenance (DOM) | 128 |
| 7.3.6 Example | 129 |
| 7.4 Maintenance concepts | 129 |
| 7.4.1 Quick & Dirty decision charts (Q&D) | 129 |
| 7.4.2 Life cycle costing (LCC) - Total cost of ownership (TCO) . | 130 |
| 7.4.3 Total productive maintenance (TPM) | 137 |
| 7.4.4 Reliability centered maintenance (RCM) | 145 |
| 7.4.5 Customized concepts | 153 |
| 7.4.6 Lean maintenance | 155 |
| 7.4.7 Concepts in practice | 158 |
| 7.4.8 Extra illustration: OEE | 160 |
| 7.5 Selected further reading | 161 |
| 8 Maintenance policy optimization | 165 |
| 8.1 Optimization in maintenance/asset management | 165 |
| 8.1.1 Optimization | 165 |
| 8.1.2 Need for optimization models in maintenance/asset management | 169 |
| 8.1.3 Practical issues | 171 |
| 8.2 Renewal theory | 174 |
| 8.2.1 Basics | 174 |
| 8.2.2 Illustrations | 177 |
| 8.2.3 Case study: Policy optimization for a can line | 181 |
| 8.3 Simulation | 186 |
| 8.3.1 Simulation as alternative for mathematical programming | 186 |

| | | |
|-----------|---|------------|
| 8.3.2 | Simulation approach | 188 |
| 8.3.3 | Monte Carlo simulation | 191 |
| 8.3.4 | Case studies | 192 |
| 8.4 | Multi-criteria decision making (MCDM) | 195 |
| 8.4.1 | General methodology | 195 |
| 8.4.2 | Consensus method | 196 |
| 8.4.3 | Analytic network process (ANP) | 197 |
| 8.4.4 | MCDM and cost-effectiveness analysis | 201 |
| 8.5 | Selected further reading | 210 |
| 9 | Operational planning | 213 |
| 9.1 | Operational planning defined | 213 |
| 9.2 | Project planning | 213 |
| 9.2.1 | PERT - CPM | 213 |
| 9.2.2 | Example | 215 |
| 9.2.3 | Discussion | 216 |
| 9.3 | Maintenance scheduling | 218 |
| 9.3.1 | Maintenance jobs | 218 |
| 9.3.2 | Production scheduling vs maintenance scheduling | 219 |
| 9.3.3 | Planning requirements | 220 |
| 9.3.4 | Planning algorithms | 222 |
| 9.4 | Selected further reading | 226 |
| IV | Resources | 227 |
| 10 | MRO management | 229 |
| 10.1 | Problem setting | 229 |
| 10.1.1 | Terminology | 229 |
| 10.1.2 | Characteristics | 230 |
| 10.2 | Inventory decision models | 231 |
| 10.2.1 | Logistic costs | 231 |
| 10.2.2 | Optimization issues | 232 |
| 10.2.3 | Traditional models for non-repairable items | 232 |
| 10.2.4 | Newer concepts | 239 |
| 10.2.5 | Avoiding or reducing spare inventory | 242 |
| 10.2.6 | Repairable items | 243 |
| 10.3 | Case studies | 243 |
| 10.3.1 | Case study 1 | 244 |
| 10.3.2 | Case study 2 | 247 |
| 10.4 | Selected further reading | 249 |
| 11 | Personnel | 251 |
| 11.1 | Organizational context | 251 |
| 11.2 | Maintenance personnel | 252 |
| 11.2.1 | The maintenance/asset manager | 252 |
| 11.2.2 | Maintenance workers | 253 |
| 11.2.3 | Safety and ergonomics | 255 |
| 11.3 | Quantitative techniques | 258 |
| 11.3.1 | Time and method study | 258 |

| | |
|--|------------|
| 11.3.2 Queueing | 259 |
| 11.4 Case studies | 266 |
| 11.4.1 Company case | 266 |
| 11.4.2 Herald of Free Enterprise case | 267 |
| 11.5 Selected further reading | 269 |
| 12 Maintenance service sector | 271 |
| 12.1 Services | 271 |
| 12.2 Maintenance consultants | 271 |
| 12.3 Maintenance service providers | 272 |
| 12.4 Maintenance outsourcing | 275 |
| 12.4.1 Levels in maintenance outsourcing | 275 |
| 12.4.2 Issues to consider | 277 |
| 12.4.3 Guidelines for outsourcing | 279 |
| 12.5 Cases studies | 280 |
| 12.5.1 Survey on facility management outsourcing | 280 |
| 12.5.2 Field service as after-sales support | 283 |
| 12.6 Selected further reading | 289 |
| V Assessment | 291 |
| 13 Performance reporting | 293 |
| 13.1 Performance reporting defined | 293 |
| 13.2 Approaches | 296 |
| 13.2.1 Alternative approaches | 296 |
| 13.2.2 Indicators | 297 |
| 13.2.3 Performance reporting models | 300 |
| 13.3 System design issues | 303 |
| 13.4 Selected further references | 308 |
| 14 Auditing - Benchmarking | 311 |
| 14.1 Auditing | 311 |
| 14.1.1 Auditing defined | 311 |
| 14.1.2 Carrying out an audit | 312 |
| 14.2 Audit approaches | 313 |
| 14.2.1 Starting point | 313 |
| 14.2.2 Information phase | 315 |
| 14.2.3 Deliverables | 316 |
| 14.2.4 Illustration: Marcelis procedure | 316 |
| 14.3 Benchmarking | 319 |
| 14.3.1 Benchmarking defined | 319 |
| 14.3.2 Benchmarking in practice | 320 |
| 14.4 Selected further reading | 322 |
| VI Wrap-up | 325 |
| 15 Towards world class maintenance | 327 |
| 15.1 Introduction | 327 |

| | |
|---|-----|
| 15.2 Maintenance excellence framework | 327 |
| 15.2.1 Stage 1: Starting level | 328 |
| 15.2.2 Stage 2: Basic level | 328 |
| 15.2.3 Stage 3: Advanced level | 328 |
| 15.2.4 Stage 4: Excellence level | 329 |
| 15.3 Organizing for success: JALF | 329 |
| 15.4 Selected further reading | 330 |

List of Figures

| | | |
|-----|--|----|
| 1.1 | Asset/maintenance management defined | 4 |
| 1.2 | Historical perspective on maintenance management | 6 |
| 1.3 | Evolution in maintenance policy implementation | 8 |
| 2.1 | Different production layouts | 18 |
| 2.2 | Solutions for unreliable machine: illustration | 19 |
| 2.3 | Some generic organization charts | 20 |
| 2.4 | Maintenance decision pyramid | 21 |
| 2.5 | Cost iceberg in maintenance | 22 |
| 2.6 | Case study: Asset management strategy design methodology . . | 25 |
| 2.7 | Case study: cognitive map | 27 |
| 2.8 | Case study: Nework and structure of the supermatrix | 29 |
| 2.9 | Case study: Example of pairwise comparison | 30 |
| 3.1 | IT capabilities and maintenance applications: examples | 33 |
| 3.2 | CMMS: Embedded or Best-of-Breed | 35 |
| 3.3 | From data to knowledge | 38 |
| 3.4 | Nonaka's knowledge spiral | 39 |
| 3.5 | Expert system: example | 41 |
| 3.6 | E-maintenance system components | 42 |
| 3.7 | Illustrationn of an e-maintenance project | 44 |
| 4.1 | Hierarchy of components in an industrial installation | 49 |
| 4.2 | Triangular and uniform distribution | 59 |
| 4.3 | Continuous failure distributions: Graphs | 62 |
| 4.4 | Weibull plot for the example | 67 |
| 4.5 | Illustration for Laplace test | 70 |
| 4.6 | Illustration: Job statuses | 70 |
| 5.1 | RAMS concept | 75 |
| 5.2 | Uptime, downtime, TTF, TTS and TTR | 75 |
| 5.3 | Bathtub curve | 76 |
| 5.4 | PF-curve | 76 |
| 5.5 | Load-strength diagram | 80 |
| 5.6 | Physics-of-failures principle illustrated | 81 |
| 5.7 | Degradation modeling principle | 82 |
| 5.8 | Series and parallel component configurations | 83 |
| 5.9 | Example of cut & tie set approach | 85 |

| | |
|---|-----|
| 5.10 State transition diagram for a repairable component | 87 |
| 5.11 Example of Markov diagram | 90 |
| 5.12 Risk management illustrated | 92 |
| 5.13 FTA: example | 93 |
| 5.14 ETA: example | 94 |
| 5.15 HAZOP risk matrix | 94 |
| 5.16 Root cause mapping techniques | 96 |
| 5.17 Bow tie analysis | 96 |
| 5.18 FMEA worksheet | 98 |
| 5.19 HRA procedure | 99 |
| 5.20 Illustration case study RCA1 | 101 |
| 5.21 Illustration case study RCA2 | 101 |
| 5.22 Illustration of an FMEA sheet for a paint shop | 102 |
| 5.23 Illustration of failure modes and associated costs for wind turbine gear boxes | 102 |
| 5.24 Illustration of starting point for a FMEA study of medical ventilators | 103 |
| 5.25 Block diagram example | 104 |
| 5.26 Cut & tie set illustration | 105 |
| 5.27 System availability illustration | 105 |
| 5.28 Markov example | 107 |
| | |
| 6.1 FRACAS basics | 117 |
| 6.2 Illustration of mixed distribution | 118 |
| 6.3 Illustration of deceptive data sets | 119 |
| 6.4 Appropriate charts choice | 120 |
| 6.5 Illustration on the choice of chart types | 120 |
| | |
| 7.1 Maintenance concepts and the tactical decision level | 125 |
| 7.2 Definitions | 126 |
| 7.3 Illustration of a Q&D decision chart | 131 |
| 7.4 Basic principles of LCC | 131 |
| 7.5 Maintenance considerations during the equipment life cycle | 132 |
| 7.6 LCC cost breakdown | 133 |
| 7.7 Illustration of an LCC analysis | 134 |
| 7.8 Illustration: LCC modeling approach | 135 |
| 7.9 Point of view in logistics engineering | 136 |
| 7.10 Total participation within TPM | 137 |
| 7.11 TPM pillars | 138 |
| 7.12 Overall equipment effectiveness (OEE) | 139 |
| 7.13 OEE related concepts | 140 |
| 7.14 Evolution of RCM | 146 |
| 7.15 RCM charts | 148 |
| 7.16 Illustration of problem approach in the RCM case study | 149 |
| 7.17 The slice concept in implementing RCM | 151 |
| 7.18 CIBOCOF concept | 154 |
| 7.19 Lean thinking: principles | 156 |
| 7.20 Lean thinking: Muri-Mura-Muda | 156 |
| 7.21 VSM: illustration of symbols | 158 |

| | | |
|-------|--|-----|
| 8.1 | From strategy to workable maintenance plan | 172 |
| 8.2 | EOH concept | 172 |
| 8.3 | Basics of renewal theory | 174 |
| 8.4 | Age based and block based replacement models | 175 |
| 8.5 | Illustration for the light bulbs renewal example | 179 |
| 8.6 | Illustration for the robot renewal example | 180 |
| 8.7 | Weibull illustrations for the case study | 183 |
| 8.8 | Case study: Result for cost minimization | 185 |
| 8.9 | Simulation vs math programming approach | 187 |
| 8.10 | Types of simulation approaches | 189 |
| 8.11 | Steps in a simulation project | 203 |
| 8.12 | Random numbers in a Monte Carlo simulation | 204 |
| 8.13 | MRO example: simulation start | 204 |
| 8.14 | Illustration of simulation study for assessing the impact of main- tenance improvements | 204 |
| 8.15 | Illustration of simulation study for the selection of maintenance policies | 205 |
| 8.16 | Converted MDCM scores (utilities) | 205 |
| 8.17 | Utility plane for the consensus method | 206 |
| 8.18 | Warehouse layout for the MCDM example | 206 |
| 8.19 | MCDM: sample screen shot | 207 |
| 8.20 | AHP/ANP: basic elements | 207 |
| 8.21 | Illustration of network structure and supermatrix | 208 |
| 8.22 | Illustration on criteria prioritizing | 208 |
| 8.23 | Illustration of customized criteria network | 209 |
| 8.24 | Cost-effectiveness analysis | 209 |
| 9.1 | Network for project planning example | 218 |
| 9.2 | Maintenance job characteristics | 222 |
| 9.3 | Maintenance planning system | 223 |
| 9.4 | Scheduling priority systems: Some examples | 225 |
| 10.1 | MRO actors | 230 |
| 10.2 | Sources of MRO demand | 233 |
| 10.3 | Basic inventory models | 233 |
| 10.4 | Typical SMI inventory profile | 234 |
| 10.5 | EOQ inventory profile | 235 |
| 10.6 | (R,q) inventory profile | 236 |
| 10.7 | Nomogram for a SMI model | 238 |
| 10.8 | Example of MRO pooling | 240 |
| 10.9 | Management implications of spare's criticality and specificity . . | 242 |
| 10.10 | Graph for the ABC analysis | 245 |
| 10.11 | Illustration of AHP procedure | 248 |
| 10.12 | Illustration of decision tree | 249 |
| 11.1 | Organization chart: illustration | 252 |
| 11.2 | Maintenance safety cartoon | 257 |
| 11.3 | Swiss cheese model | 257 |
| 11.4 | UMS: concept | 259 |
| 11.5 | Queueing system: concept | 261 |

| | |
|---|-----|
| 11.6 Organization chart: case study | 267 |
| 12.1 From 'product' to 'product - service' | 273 |
| 12.2 Typology for Product Service Systems | 274 |
| 12.3 Traditional vs functional product | 275 |
| 12.4 Levels in outsourcing | 275 |
| 12.5 Issues in outsourcing | 276 |
| 12.6 Illustration of bonus-malus cost formula | 278 |
| 12.7 FM in the organization chart | 281 |
| 12.8 Level of cooperation | 282 |
| 12.9 Case study: Service level versus stock | 288 |
| 13.1 One-liners in performance reporting | 294 |
| 13.2 Seeing the big picture with KPIs | 295 |
| 13.3 Survey results on KPI use | 298 |
| 13.4 Illustration of the Priel KPI's | 299 |
| 13.5 Illustrations of some typical graph types | 299 |
| 13.6 Illustrations of some KPI representation formats | 300 |
| 13.7 Illustration of a typical indicator | 300 |
| 13.8 Illustration of the Input-Output model | 301 |
| 13.9 Illustration of the Luck approach | 302 |
| 13.10 Illustration of the MMT concept | 303 |
| 13.11 BSC concept | 304 |
| 13.12 Steps in designing a performance reporting system | 306 |
| 13.13 Illustration of a KPI identity card | 306 |
| 13.14 Survey results on the use of KPI systems | 307 |
| 14.1 Illustration of a maintenance excellence pyramid | 311 |
| 14.2 Illustration of an opportunity map | 312 |
| 14.3 The Kelly audit model | 313 |
| 14.4 The maintenance excellence audit model (Jardine) | 314 |
| 14.5 PAS 55 and levels in asset management | 315 |
| 14.6 Audit matrix | 317 |
| 14.7 Gap analysis | 317 |
| 14.8 Results of an Marcelis audit | 319 |
| 14.9 Different benchmarking alternatives | 320 |
| 14.10 Illustration of an external audit output | 321 |
| 15.1 Maintenance excellence framework | 327 |
| 15.2 Management priorities | 330 |

List of Tables

| | |
|---|-----|
| 3.1 Evolution of CMMS | 36 |
| 4.1 Illustration of potential failure causes | 51 |
| 4.2 Discrete failure distributions: Description | 53 |
| 4.3 Discrete failure distributions: Mathematical functions | 54 |
| 4.4 Continuous failure distributions: Mathematical functions | 55 |
| 4.5 Continuous failure distributions: Description (1/3) | 56 |
| 4.6 Continuous failure distributions: Description (2/3) | 57 |
| 4.7 Continuous failure distributions: Description (3/3) | 58 |
| 4.8 Illustration of data ranking | 65 |
| 4.9 Pump data for the Weibull example | 66 |
| 4.10 Data for the χ^2 example | 68 |
| 5.1 Illustration of Duane α -values | 82 |
| 5.2 Human error and systems failures: some numbers | 98 |
| 6.1 Illustration of maintenance recording detail | 113 |
| 6.2 Data types in data collection | 114 |
| 7.1 Illustration of maintenance actions and policies (bike) | 129 |
| 7.2 The 5S concept in TPM | 139 |
| 7.3 Illustration of the 6 big losses concept in a brewery | 142 |
| 7.4 Illustration of typical RCM recommendations | 148 |
| 7.5 Alternatives in streamlined RCM | 152 |
| 7.6 The seven wastes in Lean thinking | 157 |
| 7.7 Summary on maintenance concepts | 159 |
| 8.1 Component reliability data | 168 |
| 8.2 Component costs and weights | 168 |
| 8.3 Examples of the use of decision support techniques | 170 |
| 8.4 Costs for the light bulb renewal example | 179 |
| 8.5 Influence of parameter α on the optimal T_a (case study) | 185 |
| 8.6 Data for the MRO simulation example | 192 |
| 8.7 Random numbers for the MRO simulation | 193 |
| 8.8 Simulation results for the MRO example | 194 |
| 8.9 Data for the MCDM example | 197 |
| 8.10 Converted data for the MCDM example | 198 |
| 9.1 Notation for network procedure | 215 |

| | |
|---|-----|
| 9.2 Data for project planning example | 216 |
| 9.3 Results for project planning example | 217 |
| 9.4 Illustration of some traditional scheduling parameters | 224 |
| 10.1 Component data for inventory example | 238 |
| 10.2 ABC analysis based on rotation and value | 244 |
| 10.3 Business specific vs standard stock articles | 248 |
| 11.1 UMS illustration for pumps | 260 |
| 12.1 Product support implications for customer and supplier | 273 |
| 12.2 Activities outsourced vs kept-in-house | 282 |
| 12.3 Notation for the multi-period repair kit model | 285 |
| 13.1 Overview of different performance measurement approaches | 296 |
| 13.2 Important issues when designing a KPI system | 305 |
| 14.1 The levels of perfection in the Marcelis audit method | 318 |